

We support the following Macintosh software: Adobe Creative Suite (Photoshop, Illustrator, InDesign) and Adobe Acrobat. Please DO NOT submit designs constructed in Pagemaker, Quark, Freehand, Word, or Powerpoint. Please include all associated images and fonts with your files, or make sure to rasterize or outline all fonts in your graphic files. **All creative files NEED TO BE APPROVED by Adams Outdoor Advertising TWO Wednesdays PRIOR to post date.**

THE BULLETIN: Ranging from smaller size to traditional size billboards. All printed on vinyl which allows for the reuse of the same vinyl and increases life span of creative. With vinyl there is the added option of extensions.

MECHANICAL SET-UP	PRODUCT	LIVE AREA	FILE SET-UP SIZE	FILE SET-UP NOTES	FINISHING DETAILS	PRINT MATERIAL	FINISHED HEM	BLEED	POCKET	DPI
	Bulletin 14' x 48'	14'h x 48'w	7.333"h x 24.333"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	15'4"h x 49'4"w	4"	4"	150
	Bulletin 10' x 30'	10'h x 30'w	5.333"h x 15.333"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	11'4"h x 31'4"w	4"	4"	150
	Bulletin 10'6" x 36'	10'6"h x 36'w	5.583"h x 18.333"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	11'10"h x 37'4"w	4"	4"	150

ECO-FLEX POSTER: Poster sized and printed on thin vinyl that is posted with clips instead of paste.

THE PREMIER: Poster sized and printed on vinyl that is posted by stretching on a frame.

FILE SET-UP	PRODUCT	LIVE AREA	FILE SET-UP SIZE	FILE SET-UP NOTES	FINISHING	PRINT MATERIAL	FINISHED HEM	BLEED	POCKET	DPI
	Eco-Flex Poster	10'6"h x 22'9"w	5.2913"h x 11.4163"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.35" inside all sides of the file for safety area.		3.2 oz Poly or Seamless 7oz (Formetco System)	10'6"h x 22'9"w	full	N/A	150
	Premier Panel	12'3"h x 24'6"w	6.63"h x 12.75"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.375" inside all sides of the file for safety area.		7 oz Seamless Vinyl	13'1"h x 25'6"w	6"	4"	150

THE BACKLIT: Printed on semi-transparent backlit vinyl. Backlits allow for light to shine through the board creating an eye-catching visual for evening viewers.

MECHANICAL SET-UP	PRODUCT	LIVE AREA	FILE SET-UP SIZE	FILE SET-UP NOTES	FINISHING DETAILS	PRINT MATERIAL	FINISHED HEM	BLEED	POCKET	DPI
	Backlit Bulletin	13'2"h x 47'2"w	7.166"h x 24.166"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		Backlit 14 oz Vinyl Double Striked 100% on front 50% on back	14'1"h x 48'1"w	7"	4"	150
	Backlit Poster	12'h x 24'w	6.75"h x 12.75"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.75" inside all sides of the file for safety area.		Backlit 14 oz Vinyl Double Striked 100% on front 50% on back	13'6"h x 25'6"w	full	4"	150

THE TRIVISION: Showcases 3 different ads/clients by use of tall vertical prisms that rotate on a set schedule.

MECH. SET-UP	PRODUCT	LIVE AREA	FILE SET-UP SIZE	FILE SET-UP NOTES	FINISH DETAILS	PRINT MATERIAL	FINISHED HEM	BLEED	POCKET	DPI
	TriVision	11'11.5" h x 50" w	6.167" h x 25.167" w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.25" inside all sides of the file for safety area.		15pt. Calendered Vinyl 100 Prisma Flex Panels	11'11.5" h x 50'.44" w	2"	N/A	150
TriVision Wrap	12'10" h x 51'7" w	7.083" h x 26.458" w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.	7 oz Seamless Vinyl	14'2" h x 52'11" w	4"	4"	150		


THE DIGITAL: Digital spots that are uploaded to the billboard at any time of day. Creative is dynamic and can utilize day-parting, RSS feeds and much more.
All creative files NEED TO BE APPROVED by Adams Outdoor Advertising the Wednesday PRIOR to post date.

MECH. SET-UP	PRODUCT	LIVE AREA	FILE SET-UP SIZE	FILE SET-UP NOTES	FINISH	PRINT MATERIAL	FINISHED HEM	BLEED	POCKET	DPI
	Digital Bulletin	14' h x 48' w	416h x 1440w pixels	72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 15px inside all sides of the file for safety area.		N/A	N/A	N/A	N/A	72
Digital Poster	12' x 25'	432h x 864w pixels	72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 10px inside all sides of the file for safety area.	N/A	N/A	N/A	N/A	72		

EXTENSION GUIDELINES: Extensions are areas that extend beyond the frame of the billboard, either to the left, right, or above the standard area. Regulations vary for each bulletin.
 Please contact your Account Executive about additional extension guidelines.

Standard 14x48 Bulletin Maximum Extensions: 5' off the top, 2' off the sides
 Standard 10'6 x 36' Bulletin Maximum Extensions: 4' off the top, 2' off the sides.
 The City of Madison only allows 78 SqFt Extensions.

ALL EXTENSIONS AND EXCEPTIONS MUST BE APPROVED BY ADAMS OUTDOOR.



ODD-SIZED BILLBOARDS: These are non-standard sizes and specific billboards within our inventory. Billboard numbers are listed below. **DO NOT** use these specs unless you know the billboard is specifically one of these odd-sizes.

MECHANICAL SET-UP	PRODUCT	LIVE AREA	FILE SET-UP SIZE	FILE SET-UP NOTES	FINISHING DETAILS	PRINT MATERIAL	FINISHED HEM	BLEED	POCKET	DPI
	Point Self-Store 6'h x 20'w	6'h x 20'w	3.25"h x 10.25"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	6'6"h x 20'6"w	3"	3"	150
	Point Self-Store 6'h x 24'w	6'h x 24'w	3.25"h x 12.25"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.188" inside all sides of the file for safety area.		7 oz Seamless Vinyl	6'6"h x 24'6"w	3"	3"	150
	Evansville 6'h x 10'w (JB400)	6'h x 10'w	3.333"h x 5.333"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.33" inside all sides of the file for safety area.		7 oz Seamless Vinyl	6'h x 10'w	3"	3"	150
	Wauwaukee Hwy Q 8'h x 12'w (JB180)	8'h x 12'w	4.25"h x 6.25"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.33" inside all sides of the file for safety area.		7 oz Seamless Vinyl	8'h x 12'w	3"	3"	150
	Hwy 51 8'h x 16'w (347)	8'h x 16'w	4.583"h x 8.583"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.375" inside all sides of the file for safety area.		7 oz Seamless Vinyl	8'6"h x 16'6"w	3"	3"	150
	190/39 8'h x 20'w (343)	8'h x 20'w	4.667"h x 10.833"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	8'6"h x 20'6"w	3"	3"	150
	190/39 8'h x 20'w (344)	8'h x 20'w	4.667"h x 10.833"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	8'h x 20'w	3"	3"	150
	190/39 8'h x 20'w (401)	8'h x 20'w	4.667"h x 10.833"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	8'6" x 21'	3"	3"	150
	Janesville 10'h x 30'w (JB405)	10'h x 30'w	5.25"h x 15.25"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.55" inside all sides of the file for safety area.		7 oz Seamless Vinyl	10'6"h x 30'6"w	3"	3"	150
	Sun Prairie 10'h x 30'w	10'h x 30'w	5.5"h x 15.5"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	10'6"h x 30'6'w	3"	3"	150
	Sun Prairie 10'6"h x 46'9"w	10'6"h x 46'9"w	5.5"h x 23.7"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	10'6"h x 46'9"w	N/A	3"	150
	Janesville 10'h x 60'w (JB404-1B & 2B)	10'h x 60'8"w	5.5"h x 31"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.375" inside all sides of the file for safety area.		7 oz Seamless Vinyl	10'6"h x 61'8"w	3"	3"	150
	Side-by-Side 12'h x 50'w (123-1B)	12'3"h x 49'w	6.46"h x 24.833"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	13'h x 50'w	Full	4"	150
	Side-by-Side 12'3"h x 49'9"w (139-1A & 1B)	12'3"h x 49'9"w	6.625"h x 25.125"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area.		7 oz Seamless Vinyl	13'3"h x 50'3"w	3"	3"	150
	Beloit 16'h x 20'w (JB401-1A & 1B)	16'h x 20'w	8.333"h x 10.333"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.75" inside all sides of the file for safety area.		7 oz Seamless Vinyl	17'4"h x 21'4"w	Full	4"	150
	Columbus 21'h x 30'w (334-1A & 2A)	21'h x 30'w	11"h x 15.5"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.55" inside all sides of the file for safety area.		7 oz Seamless Vinyl	22'h x 31'w	3"	3"	150
Columbus 24'6"h x 25'6"w (PS335-1B) Premier Square	25'6"h x 24'6"w	13.167"h x 12.583"w	300 dpi/CMYK. Bleed art to edge, but leave at least 0.55" inside all sides of the file for safety area.	7 oz Seamless Vinyl	26'6"h x 25'6"w	3"	3"	150		

UPLOAD YOUR FILES TO ADAMS OUTDOOR ADVERTISING:

Digital Bulletin files can be emailed to Account Executive. For files larger than 2 MB:

CLIENT (to upload): <http://www.adamsoutdoor.com>. Click on FTP folder in upper right hand corner of webpage. u: adamsmadison p: madison7900. Click Upload new file. Choose "Madison" for Market.

If you have problems uploading, an alternative is www.WeTransfer.com. FREE, No account necessary, no software required, up to 2GB files.